

## Journal papers and books citing my work (in progress)

Current total: 267

1. Aguiar, P.M.Q. Moura, J.M.F., "Three-dimensional modeling from two-dimensional video," IEEE Transactions on Image Processing, Volume: 10, Issue: 10 1541-1551, 2001
2. A Agrawal, R Chellappa, "Robust ego-motion estimation and 3-D model refinement using surface parallax," IEEE Transactions on Image Processing, Volume: 15, Issue: 5, 1215-1225, 2006
3. Anandan, P., Irani, M. Factorization with uncertainty International Journal of Computer Vision, 49 (2-3), 101-116. 2002.
4. Andreff, N., Horaud, R., Espiau, B. Robot hand-eye calibration using structure-from-motion International Journal of Robotics Research, 20 (3), 228-248, 2001.
5. Atick, J.J., Griffin, P.A., Redlich, A.N. Statistical Approach to Shape from Shading: Reconstruction of Three-Dimensional Face Surfaces from Single Two-Dimensional Images Neural Computation, 8 (6), 1321-1340 1996.
6. Atkinson, GA, Hancock, ER "Recovery of surface orientation from diffuse polarization," IEEE TRANSACTIONS ON IMAGE PROCESSING Volume 15 No. 6 1653-1664 2006
7. Avanaki, A.N., Hamidzadeh, B., Kossentini, F. Multireference object pose retrieval with volume feedback Multimedia Systems, 9 (6), 561-574. 2004.
8. Azarbayejani, A.; Pentland, A.P.; "Recursive estimation of motion, structure, and focal length" IEEE Transactions on Pattern Analysis and Machine Intelligence, Volume 17, Issue 6, 562 - 575 1995
9. Nick Barnes, Zhi-Qiang Liu, "Knowledge-based Vision-guided Robots," Springer, 2002.
10. Barnes, N., Liu, Z.-Q. Knowledge-based shape-from-shading International Journal of Pattern Recognition and Artificial Intelligence, 13 (1), 1-23. 1999.
11. Barron, JL, Eagleson, R, "Recursive estimation of time-varying motion and structure parameters," PATTERN RECOGNITION Volume 29 No. 5 797-818 1996
12. Bartoli, A., Lapreste, J.-T. "Triangulation for points on lines," Image and Vision Computing, 26 (2), 315-324. 2008.

13. Belhumeur, P.N., Kriegman, D.J., Yuille, A.L. Bas-relief ambiguity International Journal of Computer Vision, 35 (1), 33-44, 1999.
14. Ben Khelifa, M, Bouchouicha, M, Abellard, P, "A camera self-calibration technique for mobile wheelchairs," INTEGRATED COMPUTER-AIDED ENGINEERING Volume 8 No. 4 293-309 2001
15. Benoit, S., Ferrie, F.P. Towards direct recovery of shape and motion parameters from image sequences Computer Vision and Image Understanding, 105 (2), 145-165. 2007.
16. N. Alberto Borghese and P. Cerveri, "Calibrating a video camera pair with a rigid bar," Pattern Recognition Volume 33, Issue 1, 81-95 2000.
17. Borghese, NA, Ferrari, S, "A portable modular system for automatic acquisition of 3-D objects," IEEE TRANSACTIONS ON INSTRUMENTATION AND MEASUREMENT Volume 49 No. 5 1128-1136 2000
18. AG Bors, ER Hancock, RC Wilson, "Terrain Analysis Using Radar Shape-from-Shading," IEEE Transactions on Pattern Analysis and Machine Intelligence, Volume 25, Issue 8, Page(s):974 - 992, 2003.
19. Boue, M.; Dupuis, P., "Markov chain approximations for deterministic control problems with affine dynamics and quadratic cost in the control," SIAM Journal of Numerical Analysis 36 667-695, 1999
20. Breton, P., Iverson, L., Langer, M., and Zucker, S.W., "Shading Flows and Scenel Bundles: A new approach to shape from shading," in G. Carpenter and S. Grossberg (eds.), Neural Networks for Vision and Image Processing, MITPress, Cambridge, MA, 111 - 132, 1992.
21. A. M. Bruckstein and A. Tannenbaum, "Some mathematical problems in computer vision," Journal Acta Applicandae Mathematicae: An International Survey Journal on Applying Mathematics and Mathematical Applications Volume 30, Number 2 125-157 1993.
22. Bruni, C., Iacoviello, D., Koch, G., Lucchetti, M. Filtering image sequences from a moving object and the edge detection problem Computers and Mathematics with Applications, 51 (3-4), 559-578. 2006.
23. Fabio Camilli , Emmanuel Prados, "Shape-from-shading with discontinuous image brightness ," Applied Numerical Mathematics Volume 56 , Issue 9 (Numerical methods for viscosity solutions and applications) 1225-1237, 2006
24. Vicent Caselles, Ron Kimmel, Guillermo Sapiro, Catalina Sbert "Minimal surfaces: a geometric three dimensional segmentation approach," Numerische Mathematik 77:4 423-451 1997

25. Vicent Caselles, Ron Kimmel and Guillermo Sapiro “Geodesic Active Contours,” *International Journal of Computer Vision* Volume 22, Number 1, 61-79 1997
26. P. Cerveri, N. A. Borghese, and A. Pedotti , “Complete calibration of a stereo photogrammetric system through control points of unknown coordinates,” *Journal of Biomechanics* Volume 31, Issue 10, October 935-940. 1998.
27. Cesar Jr., R.M., Da Fontoura Costa, L. Application and assessment of multiscale bending energy for morphometric characterization of neural cells *Review of Scientific Instruments*, 68 (5), 2177-2186, 1997.
28. Cesar, RM, Costa, LD, “Application and assessment of multiscale bending energy for morphometric characterization of neural cells,” *REVIEW OF SCIENTIFIC INSTRUMENTS* Volume 68 No. 5 2177-2186 1997
29. Chang, W.-Y., Chen, C.-S., Jian, Y.-D. Visual tracking in high-dimensional state space by appearance-guided particle filtering *IEEE Transactions on Image Processing*, 17 (7), 1154-1167. 2008.
30. Chaumette, F. Boukir, S. Bouthemy, P. Juvin, D., “Structure from controlled motion,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Volume: 18, Issue: 5 492-504 1996
31. Rama Chellappa and Azriel Rosenfeld “Current issues in computer vision,” *Sadhana* 18:2 149-158, 1993.
32. Chen, P., Suter, D. Recovering the missing components in a large noisy low-rank matrix: Application to SFM *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26 (8), 1051-1063, 2004.
33. Chen, P., Suter, D. An analysis of linear subspace approaches for computer vision and pattern recognition *International Journal of Computer Vision*, 68 (1), 83-106. 2006.
34. Chen, G.Q., Medioni, G.G. Practical algorithms for stratified structure-from-motion *Image and Vision Computing*, 20 (2), 103-123. 2002.
35. Cheong, L.-F., Xiang, X. What do we perceive from motion pictures? A computational account *Journal of the Optical Society of America A: Optics and Image Science, and Vision*, 24 (6), 1485-1500. 2007.
36. Cheong, L.-F., Xiang, T. Characterizing depth distortion under different generic motions *International Journal of Computer Vision*, 44 (3), 199-217, 2001.
37. W. P. Cheung and C. K. Lee, “Application of Self-Organisation Neural Network for Direct Shape from Shading” *Journal Neural Computing and Applications*, Volume 10, Number 3 206-213, 2001

38. W. P. Cheung, C. K. Lee and K. C. Li, "Direct shape from shading with improved rate of convergence," *Pattern Recognition* Volume 30, Issue 3, 353-365 1997.
39. Cheung, W.P., Lee, C.K. Application of self-organisation neural network for direct shape from shading *Neural Computing and Applications*, 10 (3), 206-213. 2001.
40. Alessandro Chiuso, Roger Brockett and Stefano Soatto, "Optimal Structure from Motion: Local Ambiguities and Global Estimates," *International Journal of Computer Vision*, Volume 39, Number 3, 195-228, 2000
41. Chiuso, A., Favaro, P., Jin, H., Soatto, S. Structure from motion causally integrated over time *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24 (4), 523-535, 2002.
42. Chuang, G.C.-H., Kuo, C.-C.J., "Wavelet descriptor of planar curves: theory and applications," *IEEE Transactions on Image Processing*, Volume: 5, Issue: 1 56-70 1996
43. Susana T.L. Chung and Bosco S. Tjan, "Shift in spatial scale in identifying crowded letters," *Vision Research* Volume 47, Issue 4, 437-451 2007
44. Per H. Christensen and Linda G. Shapiro "Three-dimensional shape from color photometric stereo," *International Journal of Computer Vision* Volume 13, Number 2 213-227, 1994.
45. M Clerc, S Mallat, "Shape from Texture and Shading with Wavelets," in *Dynamical Systems, Control, Coding, Computer Vision*, Giorgio Picci et al, eds., Birkhauser 93-417, 1999.
46. Laurent D. Cohen and Ron Kimmel, "Global Minimum for Active Contour Models: A Minimal Path Approach," *International Journal of Computer Vision* Volume 24, Number 1, 57-78 1997.
47. Cong, G., Ma, S. Corner enhancement in curvature scale space *Pattern Recognition*, 31 (10), 1491-1501. 1998.
48. Emil Cornea, Ralph Howard, and Per-Gunnar Martinsson, "Solutions Near Singular Points to the Eikonal and Related First Order Non-linear Partial Differential Equations in Two Independent Variables." *Differential and Integral Equations*, 14 1441-1468. 2001.
49. F. Courteille, A. Crouzila, J.-D. Durou and P. Gurdjos, "3D-spline reconstruction using shape from shading: Spline from shading," *Image and Vision Computing* Volume 26, Issue 4, 1 466-479 2008.
50. Alain Crouzil, Xavier Descombes, Jean-Denis Durou, "A Multiresolution Approach for Shape from Shading Coupling Deterministic and Stochastic Optimization," *IEEE Transactions on Pattern Analysis and Machine Intelligence* Volume 25, Issue 11 1416 - 1421, 2003

51. CUI, N, WENG, JJ, COHEN, P, "RECURSIVE-BATCH ESTIMATION OF MOTION AND STRUCTURE FROM MONOCULAR IMAGE SEQUENCES," CVGIP-IMAGE UNDERSTANDING Volume 59 No. 2 154-170 1994
52. Kostas Daniilidis and Jan-Olof Eklundh, "3-D Vision and Recognition," in Springer Handbook of Robotics, Part C, 543-562, 2008
53. Erik De Haan, Roderik G.F. Erens and Andre J. Noest, "Shape from shaded random surfaces," Vision Research Volume 35, Issue 21, 2985-3001 1995.
54. F Deligianni, A Chung, G Yang "Patient-specific bronchoscope simulation with pq-space-based 2D/3D registration," Computer Aided Surgery, Volume 9(5/6): 215 - 226 2004
55. Song De Ma, "Conics-based stereo, motion estimation, and pose determination," International Journal of Computer Vision Volume 10, Number 1 7-25 1993
56. Yan-Ping Deng and Jie-Gu Li, "Some results: Shape from shading as a fully well-constrained problem," Pattern Recognition Letters Volume 17, Issue 2, 169-174, 1996.
57. Deng, Y., Li, J. Existence and uniqueness in shape from shading Journal of Computer Science and Technology, 12 (1), X7-64. 1997.
58. Konstantinos G. Derpanis, Richard P. Wildes, John K. Tsotsos, "Definition and recovery of kinematic features for recognition of American sign language movements," Image and Vision Computing (IVC) Volume: Volume 26, Issue 12 1650-1662, 2008
59. A. R. Dick , P. H. S. Torr , R. Cipolla, Modelling and Interpretation of Architecture from Several Images, International Journal of Computer Vision, v.60 n.2, p.111-134, November 2004
60. Fulvio Domini and Corrado Caudek, "Recovering slant and angular velocity from a linear velocity field: modeling and psychophysics," Vision Research Volume 43, Issue 16, 1753-1764, 2003
61. Domke, J.[Justin], Aloimonos, Y.[Yiannis], A Probabilistic Notion of Camera Geometry: Calibrated vs. Uncalibrated, Journal of PHOTOGRAMMETRIE FERNERKUNDUNG GEOINFORMATION, 25-43, 2007.
62. B Draper, AR Hanson, EM Riseman , "Integrating Visual Procedures for Mobile Perception," in Experimental Environments for Computer Vision and Image Processing, By H. I. Christensen, James L. Crowley, 183- 194, 1994.

63. Dudek, G., Tsotsos, J.K. Shape Representation and Recognition from Multiscale Curvature Computer Vision and Image Understanding, 68 (2), 170-189, 1997.
64. Paul Dupuis, Adam Szpiro "Convergence of the Optimal Feedback Policies in a Numerical Method for a Class of Deterministic Optimal Control Problems," SIAM Journal on Control and Optimization Volume 40 , Issue 2 393 - 420, 2001
65. Durou, J.-D., Maitre, H. On convergence in the methods of strat and of smith for shape from shading International Journal of Computer Vision, 17 (3), 273-289. 1996.
66. Durou, J.-D., Falcone, M., Sagona, M. "Numerical methods for shape-from-shading: A new survey with benchmarks," Computer Vision and Image Understanding, 109 (1), 22-43. 2008.
67. Durou, J.-D., Piau, D. Ambiguous shape from shading with critical points Journal of Mathematical Imaging and Vision, 12 (2), 99-108. 2000.
68. Michael Eastwood, "Some remarks on shape from shading," Advances in Applied Mathematics Volume 16 , Issue 3 259 - 268,1995
69. El-Sawah, A., Georganas, N.D., Petriu, E.M. A prototype for 3-D hand tracking and posture estimation IEEE Transactions on Instrumentation and Measurement, 57 (8), 1627-1636. 2008.
70. Eom, K.B. Nonstationary autoregressive contour modeling approach for planar shape analysis Optical Engineering, 38 (11), 1826-1835. 1999.
71. Erens RG, Kappers AM, Koenderink JJ, "Estimating local shape from shading in the presence of global shading," Perception and Psychophysics 54 (3), 334-342 1993.
72. Ali Erola, George Bebis, Mircea Nicolescu, Richard D. Boyle and Xander Twombly, "Vision-based hand pose estimation: A review," Computer Vision and Image Understanding Volume 108, Issues 1-2, 52-73 2007
73. Errami, A., Khaldoun, M., Elmesbahi, J., Bouattane, Theta(1) time algorithm for structural characterization of multi-leveled images and its applications on a reconfigurable mesh computer Journal of Intelligent and Robotic Systems: Theory and Applications, 44 (4), 277-290. 2005.
74. Ronald P. Fedkiw, Guillermo Sapiro, Chi-Wang Shu, "Shock capturing, level sets, and PDE based methods in computer vision and image processing: a review of Osher's contributions," Journal of Computational Physics, Volume 185 , Issue 2 309 - 341, 2003
75. Fejes, S., Rosenfeld, A. Migration Processes I: The Continuous Case Journal of Mathematical Imaging and Vision, 8 (1), 5-25. 1998.

76. D Folio, V. V. Cadenat "Dealing With Visual Features Loss During a Vision-Based Task For a Mobile Robot," *International Journal of Optomechatronics*, Volume 2, Issue 3 185 - 204 2008
77. Fuda, T., Omachi, S., Aso, H. Recognition of line graph images in documents by tracing connected components *Systems and Computers in Japan*, 38 (14), 103-114. 2007.
78. Fusiello, A., Benedetti, A., Farenzena, M., Busti, A. Globally convergent autocalibration using interval analysis *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26 (12), 1633-1638, 2004.
79. J. A. Garcia, J. Fdez-Valdivia and A. Garrido, "A scale-vector approach for edge detection," *Pattern Recognition Letters* Volume 16, Issue 6, 637-646 1995.
80. Han, F., Zhu, S.-C. A two-level generative model for cloth representation and shape from shading *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29 (7), 1230-1243. 2007.
81. Madasu Hanmandlu, V. Shantaram and M. Vamsi Krishna, "Surface Reconstruction from Multiple Views of Painted Curves," *Journal of King Saud Univ., Comp. and Info. Sci*, Vol. 15, No. 1, 1-31 2003.
82. Julio Kiyoshi Hasegawa and Clesio Luis Tozzi, "Shape from Shading with perspective projection and camera calibration," *Computers and Graphics* Volume 20, Issue 3, 351-364 1996.
83. R Hassanpour, V Atalay "Experimental study on the sensitivity of auto-calibration to projective camera model parameters," *Opt. Eng.* Volume 45, Issue 4 *Image Processing* 2006
84. R.A. Hicks, D. Pettey, K. Daniilidis and R. Bajcsy, "Closed Form Solutions for Reconstruction Via Complex Analysis," *Journal of Mathematical Imaging and Vision* Volume 13, Number 1, 57-70, 2000
85. HAYAKAWA, H, NISHIDA, S, WADA, Y, KAWATO, MA, "COMPUTATIONAL MODEL FOR SHAPE ESTIMATION BY INTEGRATION OF SHADING AND EDGE INFORMATION," *NEURAL NETWORKS* Volume 7 No. 8 1193-1209 1994
86. BKP Horn, BG Schunck "Determining optical flow: a retrospective" - *Artificial Intelligence in Perspective*, *Artificial Intelligence* Volume 59, Issues 1-2, 81-87, 1993
87. Horn, B.K.P.; Szeliski, R.S.; Yuille, A.L., "Impossible shaded images," *IEEE Transactions on Pattern Analysis and Machine Intelligence* vol.15, no.2, 166-170, 1993

88. Hoshino, K., Tamaki, E., Tanimoto, T. Copycat hand - Robot hand imitating human motions at high speed and with high accuracy *Advanced Robotics*, 21 (15), 1743-1761. 2007.
89. Hoshino, K., Tanimoto, T. Realtime hand posture estimation with self-organizing map for stable robot control *IEICE Transactions on Information and Systems*, E89-D (6), 1813-1819. 2006.
90. Jun-Wei Hsieh, Hong-Yuan Mark Liao, Ming-Tat Ko and Kuo-Chin Fan, "Wavelet-Based Shape from Shading," *Graphical Models and Image Processing Volume 57, Issue 4*, 343-362, 1995.
91. Y. S. Hung and W. K. Tang, "Projective Reconstruction from Multiple Views with Minimization of 2D Reprojection Error," *International Journal of Computer Vision Volume 66, Number 3*, 305-317 2006
92. Norman E. Hurt, "Mathematical methods in shape-from-shading: A review of recent results," *Acta Applicandae Mathematicae: An International Survey Journal on Applying Mathematics and Mathematical Applications*, Volume 23, Number 2 163-188, 1991.
93. Huynh, D.Q., Heyden, A. Scene point constraints in camera auto-calibration: An implementational perspective *Image and Vision Computing*, 23 (8), 747-760. 2005.
94. D. Jacobs, "Linear Fitting with Missing Data for Structure-from-Motion", *Computer Vision and Image Understanding*, 82:57-81, 2001.
95. Jebara, T., Azarbayejani, A., Pentland, A. 3D structure from 2D motion *IEEE Signal Processing Magazine*, 16 (3), 66-84, 1999.
96. Jiang, G., Quan, L., Tsui, H.-T. Circular motion geometry using minimal data *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26 (6), 721-731, 2004.
97. Jiang, G., Tsui, H.-T., Quan, L., Zisserman, A. Geometry of single axis motions using conic fitting *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 25 (10), 1343-1348, 2003.
98. Ji, H., Fermuller, C. A 3D shape constraint on video *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 28 (6), 1018-1023. 2006.
99. Jiang, X.Q. Development of a lifting wavelet representation for surface characterization *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 456 (2001), 2283-2313, 2000.
100. Jin, H., Favaro, P., Soatto, S. A semi-direct approach to structure from motion *Visual Computer*, 19 (6), 377-394, 2003.

101. Jin, H., Cremers, D., Wang, D., Prados, E., Yezzi, A., Soatto, S. 3-D reconstruction of shaded objects from multiple images under unknown illumination *International Journal of Computer Vision*, 76 (3), 245-256, 2008.
102. Jin, J.S.; Zhigang Zhu; Guangyou Xu, "A stable vision system for moving vehicles" *IEEE Transactions on Intelligent Transportation Systems* Volume: 1 Issue: 1 32-39, 2000.
103. Jesse S. Jin, Zhigang Zhu and Guangyou Xu, "Digital Video Sequence Stabilization Based on 2.5D Motion Estimation and Inertial Motion Filtering" *Real-Time Imaging* Volume 7, Issue 4, 357-365 2001.
104. Johnson, A., Willson, R., Cheng, Y., Goguen, J., Leger, C., Sanmartin, M., Matthies, L. Design through operation of an image-based velocity estimation system for mars landing *International Journal of Computer Vision*, 74 (3), 319-341. 2007.
105. A. Jones and G. Taylor, "Robust shape from shading," *Image Vis Comput* 12 , 411-421.1994.
106. Joon Bo Shim, Takeuchi, Y., Mukai, T., Ohnishi, N. Recovery of 3D whole shape and accuracy improvement by fusing partial shapes *Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers*, 55 (11), 1479-1490. 2001.
107. Joseph Kain , Daniel N. Ostrov, "Numerical Shape-From-Shading for Discontinuous Photographic Images," *International Journal of Computer Vision*, v.44 n.3, p.163-173, 2001
108. ZuWhan Kim and Theodore E. Cohn, "Pseudoreal-Time Activity Detection for Railroad Grade-Crossing Safety," *IEEE Transactions on Intelligent Transportation Systems*, VOL. 5, NO. 4, 319 - 324 2004
109. Kim, J.-H., Han, J.H. Outlier correction from uncalibrated image sequence using the Triangulation method *Pattern Recognition*, 39 (3), 394-404. 2006.
110. Kimia, B.B., Siddiqi, K. Geometric heat equation and nonlinear diffusion of shapes and images *Computer Vision and Image Understanding*, 64 (3), 305-322, 1996.
111. Ron Kimmel, James A. Sethian "Optimal Algorithm for Shape from Shading and Path Planning," *Journal of Mathematical Imaging and Vision* Volume 14 , Issue 3 237 - 244 2001
112. R. Kimmel and A. M. Bruckstein, "Global shape from shading," *Comp. Vision and Image Understanding*, 62(3):360-369, 1995.

113. R. Kimmel and A. M. Bruckstein, "Tracking level sets by level sets: A method for solving the shape from shading problem.," *Comp. Vision and Image Understanding*, 62(2):47-58, 1995.
114. R. Kimmel, K. Siddiqi, B. B. Kimia, and A. M. Bruckstein. Shape from shading: Level set propagation and viscosity solutions. *International Journal of Computer Vision*, 16:107-133, 1995.
115. R. Kimmel, N. Kiryati, and A. M. Bruckstein. Sub-pixel Distance Maps and Weighted Distance Transforms, *Journal of Mathematical Imaging and Vision*, Vol. 6, 223-233, 1996.
116. R. Kozera, "On complete integrals and uniqueness in shape from shading," *Applied Mathematics and Computation*, (1) 73 : 1-37 1995.
117. Kozera, R. "An overview of the shape from shading problem" *Machine Graphics and Vision*, (1/2) 7 : 291-312 1998.
118. Kozera R., "Uniqueness in Shape from Shading Revisited," *Journal of Mathematical Imaging and Vision*, Volume 7, Number 2, 123-138. 1997.
119. R Kozera and R. Klette, "Finite difference based algorithms in linear shape from shading", *Machine Graphics and Vision*, (2) 6 : 157-201 .1997.
120. Ryszard Kozera: "On Shape Recovery from Two Shading Patterns." *International Journal of Pattern Recognition and Artificial Intelligence* 6(4): 673-698 1992.
121. KOZERA, R,"EXISTENCE AND UNIQUENESS IN PHOTOMETRIC STEREO," *APPLIED MATHEMATICS AND COMPUTATION* Volume 44 No. 1 1-103 1991
122. KUMAR, R, HANSON, AR "MODEL EXTENSION AND REFINEMENT USING POSE RECOVERY TECHNIQUES," *JOURNAL OF ROBOTIC SYSTEMS* Volume 9 No. 6 753-771 1992
123. Michael S. Langer, Steven W. Zucker "Casting Light on Illumination: A Computational Model and Dimensional Analysis of Sources," *Computer Vision and Image Understanding* Vol. 65, No. 2, 322-335, 1997.
124. Le Besnerais, G., Duplaquet, M.-L. Processing of aerial and laterally visual image sequences for 3D reconstruction *Bulletin - Societe Francaise de Photogrammetrie et de Teledetection*, (166), 27-33. 2002.
125. Raymond Legault, Ching Y. Suen, "Optimal Local Weighted Averaging Methods in Contour Smoothing," *IEEE Transactions on Pattern Analysis and Machine Intelligence* Volume 19, Issue 8 Pages: 801 - 817, 1997.
126. Jiann-Der Lee "A new scheme for planar shape recognition using wavelets," *Computers and Mathematics with Applications* Volume 39, Issues 5-6, 201-216, 2000.

127. Lee, K.M., Kuo, C.-C.J. Shape from Shading with a Generalized Reflectance Map Model *Computer Vision and Image Understanding*, 67 (2), 143-160, 1997.
128. Kushner, H. J., Dupuis, P. G., "Numerical methods for Stochastic Control Problems in Continuous Time," Springer 2001 (2nd revision).
129. Kyoung Mu Lee and C.-C. Jay Kuo, "Shape from Shading with Perspective Projection," *CVGIP: Image Understanding Vol. 59, No. 2*, 202-212, 1994
130. KM Lee, CCJ Kuo, "Surface reconstruction from photometric stereo images," *J. Opt. Soc. Am. A Vol. 10, No. 5* 855-868, 1993.
131. Lee, J., Hirota, G., State, A. Modeling real objects using video see-through augmented reality *Presence: Teleoperators and Virtual Environments*, 11 (2), 144-157. 2002.
132. Lei, Z., Lin, Y.-T. 3D shape inferencing and modeling for video retrieval *Journal of Visual Communication and Image Representation*, 11 (1), 41-57. 2000.
133. Lerner, R., Rivlin, E., Rotstein, H.P. Pose and motion recovery from feature correspondences and a digital terrain map *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 28 (9), 1404-1417. 2006.
134. H Li, A Yezzi "Vessels as 4-D Curves: Global Minimal 4-D Paths to Extract 3-D Tubular Surfaces and Centerlines," *IEEE TRANSACTIONS ON MEDICAL IMAGING, VOL. 26, NO. 9*, 1213-1223 2007
135. Li, J, Chellappa, R, "Structure from planar motion," *IEEE TRANSACTIONS ON IMAGE PROCESSING* Volume 15 No. 11 3466-3477 2006
136. Hua Li, Anthony Yezzi, "Local or Global Minima: Flexible Dual-Front Active Contours," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 29, no. 1, 1-14., 2007
137. Lin, C.-T., Cheng, W.-C., Liang, S.-F. Neural-network-based adaptive hybrid-reflectance model for 3-D surface reconstruction *IEEE Transactions on Neural Networks*, 16 (6), 1601-1615. 2005.
138. H. Liu, R. Chellappa, and A. Rosenfeld, "Fast two-frame multiscale dense optical flow estimation using discrete wavelet filters," *J. Opt. Soc. Am. A* 20, 1505-1515 2003.
139. Liu, T., Wu, X., Liang, W., Jia, Y. 3D articulated hand tracking by nonparametric belief propagation on feasible configuration space *Jisuanji Fuzhu Sheji Yu Tuxingxue Xuebao/Journal of Computer-Aided Design and Computer Graphics*, 20 (4), 476-481. 2008.

140. Liu, F.-W., Ding, G.-Y., Li, S.-Q., Xu, Y.-H. ICONDENSATION-based hand tracking and gesture recognition with color and depth cues Beijing Ligong Daxue Xuebao/Transaction of Beijing Institute of Technology, 27 (12), 1069-1072. 2007.
141. Jiping Lu, James J. Little “Reflectance and Shape from Images Using a Collinear Light Source,” International Journal of Computer Vision Volume 32 , Issue 3 213 - 240, 1999
142. Y. Ma and S. Soatto and J. Kosecka and S. Sastry, An invitation to 3D vision, from images to models, Springer Verlag, 2003.
143. Y. Ma, R. Vidal, S. Hsu and S. Sastry, “Optimal motion estimation from multiview normalized epipolar constraint” Journal of Communications in Information and Systems, Volume 1, Number 1 51 - 73, 2001.
144. Ma, Y., Kosecka, J., Sastry, S. Optimization criteria and geometric algorithms for motion and structure estimation International Journal of Computer Vision, 44 (3), 219-249, 2001.
145. Makadia, A., Geyer, C., Daniilidis, K. Correspondence-free structure from motion International Journal of Computer Vision, 75 (3), 311-327. 2007.
146. Mamassian, P., Kersten, D. Illumination, shading and the perception of local orientation Vision Research, 36 (15), 2351-2367, 1996.
147. A. A. Melikyan, “Singular Characteristics in the Boundary Conditions of the Hamilton-Jacobi Equation,” Doklady Mathematics Vol. 72, No. 2, September-October 2005, 723-727.  
P. Dupuis and J. Oliensis, On optimal control formulation and related numerical methods for a problem in shape reconstruction, Annals Appl. Prob. 4 , 287-346.1994.
148. Arik Melikyan, Andrei Akhmetzhanov and Naira Hovakimyan, “On initial value and terminal value problems for Hamilton-Jacobi equation,” Systems and Control Letters Volume 56, Issues 11-12, November-December , Pages 714-721 2007
149. Branislav Micusik , Tomas Pajdla, Structure from Motion with Wide Circular Field of View Cameras, IEEE Transactions on Pattern Analysis and Machine Intelligence, v.28 n.7, p.1135-1149, July 2006
150. Isao Miyagawa , Kenichi Arakawa, Motion and Shape Recovery Based on Iterative Stabilization for Modest Deviation from Planar Motion, IEEE Transactions on Pattern Analysis and Machine Intelligence, v.28 n.7, p.1176-1181, July 2006
151. Moisan, L., Stival, B. A probabilistic criterion to detect rigid point matches between two images and estimate the fundamental matrix International Journal of Computer Vision, 57 (3), 201-218. 2004.

152. Montgomery, J.F., Johnson, A.E., Roumeliotis, S.I., Matthies, L.H. The Jet Propulsion Laboratory Autonomous Helicopter Testbed: A platform for planetary exploration technology research and development *Journal of Field Robotics*, 23 (3-4), 245-267. 2006.
153. D.D. Morris, T. Kanade. "Feature Localization Error in 3D Computer Vision," (book chapter) in *Uncertainty in Geometric Computations*, Joab Winkler, Mahesan Niranjan, eds., Springer, 2002.
154. Nakajima, S., Okamoto, J., Hama, H., Hosokawa, S. Recovery of the rotation of rigid body from spiral locus using GA Kyokai Joho Imeji Zasshi/*Journal of the Institute of Image Information and Television Engineers*, 51 (1), 133-136. 1997.
155. Jan Neumann, Cornelia Fermuller and Yiannis Aloimonos, "A hierarchy of cameras for 3D photography," *Computer Vision and Image Understanding* Volume 96, Issue 3, 274-293 2004
156. K. K. Niall, B. Pierce, "Assessment of Visual Requirements for Flight Simulation," in "Aircrew Training and Assessment: Methods, Technologies, and Assessment," By Harold F. O'Neil, Dee H. Andrews Lawrence Erlbaum Associates, 2000
157. Nister, D. An efficient solution to the five-point relative pose problem *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26 (6), 756-770, 2004.
158. Nister, D., Naroditsky, O., Bergen, J. Visual odometry for ground vehicle applications *Journal of Field Robotics*, 23 (1), 3-20, 2006.
159. Nister, D. Preemptive RANSAC for live structure and motion estimation *Machine Vision and Applications*, 16 (5), 321-329, 2005.
160. N. Ohta and Kenichi Kanatani "Optimal Estimation of Three-Dimensional Rotation and Reliability Evaluation," *IEICE Trans Information and Systems* VolE82-D, No. 11 1247- 1252, 1998.
161. Okatani, T., Deguchi, K. Closed form solution of local shape from shading at critical points *International Journal of Computer Vision*, 40 (2), 169-178. 2000.
162. Okatani, T., Deguchi, K. Shape Reconstruction from an Endoscope Image by Shape from Shading Technique for a Point Light Source at the Projection Center *Computer Vision and Image Understanding*, 66 (2), 119-131, 1997.
163. Olver, P.J., Sapiro, G., Tannenbaum, A. Invariant geometric evolutions of surfaces and volumetric smoothing *SIAM Journal on Applied Mathematics*, 57 (1), 176-194, 1997.

164. DN Ostrov, "Viscosity solutions and convergence of monotone schemes for synthetic aperture radar shape-from-shading equations with discontinuous intensities," SIAM J. APPL. MATH. Vol. 59, No. 6, 2060-2085, 1999
165. DN Ostrov, "Extending viscosity solutions to Eikonal equations with discontinuous spatial dependence," Nonlinear Analysis, Volume 42, Issue 4, Pages 709-736, 2000
166. DN Ostrov, "Boundary conditions and fast algorithms for surface reconstructions from synthetic aperture radar," IEEE Transactions on Geoscience and Remote Sensing, Volume: 37, Issue: 1, Part 2 335-346, 1999.
167. Pankanti, S.; Jain, A.K "Integrating Vision Modules: Stereo, Shading, Grouping, and Line Labeling" IEEE Transactions on Pattern Analysis and Machine Intelligence Volume 17, Issue 9, 831 - 842 1995.
168. Park, J.-S. Interactive 3D reconstruction from multiple images: A primitive-based approach Pattern Recognition Letters, 26 (16), 2558-2571. 2005.
169. Pauwels, K., Van Hulle, M.M. Optimal instantaneous rigid motion estimation insensitive to local minima Computer Vision and Image Understanding, 104 (1), 77-86. 2006.
170. Chin-Hwee Peh Loong-Fah Cheong, "Synergizing spatial and temporal texture," IEEE Transactions on Image Processing, Volume: 11, Issue: 10 1179- 1191 2002
171. A. P. Pentland and M. Bichsel, "Extracting Shape-from-Shading", Handbook of Pattern Recognition and Image Processing, Tzay Y. Young, Editor, Academic Press, 161-183, 1994.
172. Homer H. Pien and John M. Gauch "A variational approach to multi-sensor fusion of images," Applied Intelligence Volume 5, Number 3 217-235, 1995.
173. Pollick, F.E. The perception of motion and structure in structure-from-motion: Comparisons of affine and Euclidean formulations Vision Research, 37 (4), 447-466. 1997.
174. Pollick, F.E., Watanabe, H., Kawato, M. Perception of local orientation from shaded images Perception and Psychophysics, 58 (5), 762-780. 1996.
175. Prados, E., Camilli, F., Faugeras, O. A unifying and rigorous shape from shading method adapted to realistic data and applications Journal of Mathematical Imaging and Vision, 25 (3), 307-328, 2006.
176. Emmanuel Prados, Fabio Camilli and Olivier Faugeras, "Viscosity solution method for Shape-From-Shading without image boundary data," ESAIM: Mathematical Modelling and Numerical Analysis (M2AN), Vol. 40, N2, 393-412, 2006.

177. Prados, E., Faugeras, O. A generic and provably convergent Shape-from-Shading method for orthographic and pinhole cameras *International Journal of Computer Vision*, 65 (1-2), 97-125. 2005.
178. Emmanuel Prados and Olivier Faugeras, "Shape From Shading". In *Mathematical Models of Computer Vision: The Handbook*. Editors: N. Paragios, Y. Chen and O. Faugeras; Springer, 2005.
179. G Qian, R Chellappa , "Structure from Motion Using Sequential Monte Carlo Methods"  
*International Journal of Computer Vision*, 59:1 5-31, 2004
180. G. Qian, R. Chellappa, and Q. Zheng, "Robust structure from motion estimation using inertial data," *J. Opt. Soc. Am. A* 18, 2982-2997 2001.
181. Ragheb, H., Hancock, E.R. Darboux smoothing for shape-from-shading *Pattern Recognition Letters*, 24 (1-3), 579-595. 2003.
182. Ragheb, H., Hancock, E.R. Surface radiance correction for shape from shading *Pattern Recognition*, 38 (10), 1574-1595. 2005.
183. Ragheb, H., Hancock, E.R. A probabilistic framework for specular shape-from-shading *Pattern Recognition*, 36 (2), 407-427, 2003.
184. Rehbinder, H., Ghosh, B.K. Pose estimation using line-based dynamic vision and inertial sensors *IEEE Transactions on Automatic Control*, 48 (2), 186-199, 2003.
185. Edward M. Riseman, AR Hanson, JR Beveridge, R Kumar, H Sawhney, "Landmarkbased navigation and the acquisition of environmental models," 317 - 374 in *Visual Navigation: From Biological Systems to Unmanned Ground Vehicles* By Yiannis Aloimonos Lawrence Erlbaum Associates, 1997
186. A. Robles-Kelly and E.R Hancock, "Graph-Spectral Methods for Surface Height Recovery from Gauss Maps," in *Geometric Properties for Incomplete Data*, ed. Reinhard Klette et al., 103-122, 2006.
187. Antonio Robles-Kelly, and Edwin R. Hancock, "Shape-From-Shading Using the Heat Equation," *IEEE Transactions on Image Processing*, vol. 16, No. 1, 7-21, 2007
188. Robles-Kelly, A.; Hancock, E.R., "A graph-spectral approach to shape-from-shading," *IEEE Transactions on Image Processing*, vol.13, no.7, 912-926, 2004.
189. Rother, C., Carlsson, S. Linear multi view reconstruction and camera recovery using a reference plane *International Journal of Computer Vision*, 49 (2-3), 117-141, 2002.

190. Roy-Chowdhury, A.K., Chellappa, R., "Face reconstruction from monocular video using uncertainty analysis and a generic model," *Computer Vision and Image Understanding Volume 91, Issues 1-2*, 188-213, 2003
191. Roy-Chowdhury, A.K., Chellappa, R. Statistical bias in 3-D reconstruction from a monocular video *IEEE Transactions on Image Processing*, 14 (8), 1057-1062. 2005.
192. Roy-Chowdhury, A.K., Chellappa, R. Stochastic approximation and rate-distortion analysis for robust structure and motion estimation *International Journal of Computer Vision*, 55 (1), 27-53, 2003.
193. Roy-Chowdhury, A.K., Chellappa, R. An information theoretic criterion for evaluating the quality of 3-D reconstructions from video *IEEE Transactions on Image Processing*, 13 (7), 960-972. 2004.
194. Safaee-Rad, R., Tchoukanov, I., Smith, K.C., Benhabib, B., "Three-dimensional location estimation of circular features for machine vision," *IEEE Transactions on Robotics and Automation*, Volume: 8, Issue: 5 624-640 1992
195. Samaras, D., Metaxas, D. Incorporating illumination constraints in deformable models for shape from shading and light direction estimation *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 25 (2), 247-264, 2003.
196. Santini, F., Rucci, M. Active estimation of distance in a robotic system that replicates human eye movement *Robotics and Autonomous Systems*, 55 (2), 107-121. 2007.
197. Guillermo Sapiro, Allen Tannenbaum "Area and Length Preserving Geometric Invariant Scale-Spaces," *IEEE Transactions on Pattern Analysis and Machine Intelligence* 17:1 67-72, 1995.
198. Radim Sara, "IMPACT OF SMOOTH SURFACE PERCEPTION CAPABILITY ON THE STRUCTURE OF A VISION SYSTEM" *Cybernetics and Systems*, Volume 25, Issue 1, pages 163 - 176, 1994.
199. Fabio Sartori and Edwin R. Hancock, "Vector Transport for Shape-from-Shading," *Pattern Recognition Volume 38, Issue 8*, 1239-1260 2005
200. H. Sawhney and P. Anandan, "3D Constraints on Monocular Image Sequences: Theory and Algorithms," in *Image Technology: Advances in Image Processing, Multimedia and Machine Vision*, 83-108, By Jorge L. C. Sanz, Springer, 1996.
201. Bror V. H. Saxberg, "Existence and Uniqueness for Shape From Shading Around Critical Points: Theory and an Algorithm," *The International Journal of Robotics Research*, Vol. 11, No. 3, 202-224 1992.

202. Jayant Shah, Homer H. Pien, and John M. Gauch, "Recovery of Surfaces with Discontinuities by Fusing Shading and Range Data Within a Variational Framework," *IEEE Transactions on Image Processing*, Vol. 5, No. 8, 1243-1251 1996
203. Shah, M.; Rangarajan, K.; Tsai, P.-S., "Motion trajectories," *IEEE Transactions on Systems, Man and Cybernetics*, vol.23, no.4, 1138-1150, 1993.
204. Sashua, A. Navab, N. "Relative affine structure: canonical model for 3D from 2D geometry and applications," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Volume: 18, Issue: 9 873-883, 1996
205. Xiaoping Shen and Lin Yang, "Shape From Shading Models" in *Handbook of Biomedical Image Analysis*, 257-304, Springer US 2005.
206. Kaleem Siddiqi, Sylvain Bouix, Allen Tannenbaum "Hamilton-Jacobi Skeletons," *International Journal of Computer Vision* 48(3), 215-231, 2002.
207. Sminchisescu, C, Triggs, B, "Building roadmaps of minima and transitions in visual models," *INTERNATIONAL JOURNAL OF COMPUTER VISION* Volume 61 No. 1 81-101 2005
208. Smith, P.W., Nandhakumar, N. Projective recovery of structure from non-rigid motion using temporal fusion *Optical Engineering*, 36 (3), 755-766. 1997.
209. William A. P. Smith and Edwin R. Hancock "Facial Shape-from-shading and Recognition Using Principal Geodesic Analysis and Robust Statistics," *International Journal of Computer Vision* Volume 76, Number 1, 71-91, 2008
210. Stefano Soatto, Pietro Perona, "Reducing "Structure From Motion": A General Framework for Dynamic Vision Part 1: Modeling" *IEEE Transactions on Pattern Analysis and Machine Intelligence* Volume 20 , Issue 9 933 - 942, 1998
211. Soatto, S.; Perona, P., "Reducing "Structure from Motion": a general framework for dynamic vision. 2. Implementation and experimental assessment" *IEEE Transactions on Pattern Analysis and Machine Intelligence* Volume 20, Issue 9, 943 - 960 1998
212. S. Soatto and P. Perona, "Recursive 3-D visual motion estimation using subspace constraints," In *International Journal of Computer Vision*, 22:3, 235-259, 1997.
213. Soatto, S, "3-D structure from visual motion: Modeling, representation and observability," *AUTOMATICA* Volume 33 No. 7 1287-1312 1997
214. Sonka, M., Hlavac V., Boyle, R. "Image Processing, Analysis, and Machine Vision," (3rd Edition), Thomson 2008.

215. Spetsakis, M, "Models Of Statistical Visual-Motion Estimation," CVGIP-IMAGE UNDERSTANDING Volume 60 No. 3 300-312 1994
216. Stenstrom, JR, Connolly, CI, "CONSTRUCTING OBJECT MODELS FROM MULTIPLE IMAGES," INTERNATIONAL JOURNAL OF COMPUTER VISION Volume 9 No. 3 185-212 1992
217. AJ Stoddart, J Illingworth and T Winder, "Optimal parameter selection for derivative estimation from range images," Image and Vision Computing Volume 13, Issue 8, 629-635 1995.
218. Stoykova, E., Alatan, A.A., Benzie, P., Grammalidis, N., Malassiotis, S., Ostermann, J., Piekh, S., Sainov, V., Theobalt, C., Thevar, T., Zabulis, X. 3-D time-varying scene capture technologies - A survey IEEE Transactions on Circuits and Systems for Video Technology, 17 (11), 1568-1585. 2007.
219. Szeliski, R, "FAST SHAPE FROM SHADING," CVGIP-IMAGE UNDERSTANDING Volume 53 No. 2 129- 153 1991
220. Srinivasan, S. "Extracting Structure from Optical Flow Using the Fast Error Search Technique," International Journal of Computer Vision Vol 37; Part 3 203-230, 2000
221. Szeliski, R.; Sing Bing Kang "Shape ambiguities in structure from motion," IEEE Transactions on Pattern Analysis and Machine Intelligence Volume 19, Issue 5, 506 - 512, 1997.
222. Richard Szeliski and James Coughlan, "Spline-Based Image Registration," International Journal of Computer Vision 22(3), 199-218 1997.
223. A. Tankus, N. Sochen and Y. Yeshurun "Shape-from-Shading by Iterative Fast Marching for Vertical and Oblique Light Sources," in Geometric Properties for Incomplete data, R. Klette et al. (eds.), Springer Netherlands, 237-258, 2006
224. Tang, W.K., Hung, Y.S. A subspace method for projective reconstruction from multiple images with missing data Image and Vision Computing, 24 (5), 515-524. 2006.
225. Tian, Y.-L., Tsui, H.T., Yeung, S.Y., Ma, S. Shape from shading for multiple light sources Journal of the Optical Society of America A: Optics and Image Science, and Vision, 16 (1), 36-52. 1999.
226. Y. Tian and H. T. Tsui, " Shape recovery from a color image for non-Lambertian surfaces," J. Opt. Soc. Am. A 14, 397-404 1997.
227. Triggs, B, "Linear projective reconstruction from matching tensors," IMAGE AND VISION COMPUTING Volume 15 No. 8 617-625 1997
228. Trucco, E., Plakas, K. Video tracking: A concise survey IEEE Journal of Oceanic Engineering, 31 (2), 520-529. 2006.

229. Ping-Sing Tsai and Mubarak Shah, "Shape From Shading Using Linear Approximation," *Image and Vision Computing* Volume 12, Issue 8, 487-498 1994
230. Tsai, P.-S., Shah, M. Shape from shading with variable albedo *Optical Engineering*, 37 (4), 1212-1220. 1998.
231. Torreao, JRA "Bayesian shape estimation: Shape-from-shading and photometric stereo revisited," *Machine Vision and Applications*, Volume 8, Number 3 163-172, 1995
232. S Uemura, M Haseyama, H Kitajima, "A Line Drawing Simplification Method Which Retains Shape by Using the Fractal Dimension," - *Systems and Computers in Japan*, VOL 34; issu 5, pages 1-13 2003
233. Unal, G., Yezzi, A., Soatto, S., Slabaugh, G. A variational approach to problems in calibration of multiple cameras *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29 (8), 1322-1338. 2007.
234. Vidal, R., Tron, R., Hartley, R. Multiframe motion segmentation with missing data using PowerFactorization and GPCA *International Journal of Computer Vision*, 79 (1), 85-105. 2008.
235. Wang, J.-G., Sung, E., Venkateswarlu, R., "Estimating the eye gaze from one eye," *Computer Vision and Image Understanding* 98 (1), 83-103, 2005.
236. Jian-Gang Wang, Sung, E., "Study on eye gaze estimation," *IEEE Transactions on Systems, Man, and Cybernetics, Part B*, Volume: 32, Issue: 3 332-350 2002
237. O. Weber, Y. Devir, A. M. Bronstein, M. M. Bronstein, and R. Kimmel, "Parallel algorithms for approximation of distance maps on parametric surfaces", *ACM Transactions on Graphics*, to appear and to be presented in SIGGRAPH 2008
238. Wei, G.-Q., Hirzinger, G. Learning shape from shading by a multilayer network *IEEE Transactions on Neural Networks*, 7 (4), 985-995, 1996.
239. Guo-Qing Wei Hirzinger, G., "Parametric shape-from-shading by radial basis functions," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Volume: 19, Issue: 4 353-365, 1997
240. G-Q Wei and G. Hirzinger, "Neural network approaches to shape from shading," in *Industrial Applications of Neural Networks* L. C. Jain, V. Rao Vemuri, eds., CRC Press, 35-62 1999
241. Wei, J. Robust recovery of multiple light source based on local light source constant constraint *Pattern Recognition Letters*, 24 (1-3), 159-172. 2003.
242. Daphna Weinshall, "Local shape approximation from shading," *Journal of Mathematical Imaging and Vision* Volume 4, Number 2 119-138, 1994.

243. Isaac Weiss “Invariants for recovering shape from shading,” Applications of Invariance in Computer Vision (LNCS 825) 185-198, 1994.
244. Mark D. Wheeler and Katsushi Ikeuchi, “Iterative Smoothed Residuals: A Low-Pass Filter for Smoothing With Controlled Shrinkage,”  
IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE, VOL. 18, NO. 3, MARCH 1996
245. Worthington, P.L., Hancock, E.R. New constraints on data-closeness and needle map consistency for shape-from-shading IEEE Transactions on Pattern Analysis and Machine Intelligence, 21 (12), 1250-1267. s. 1999.
246. Worthington, P.L., Hancock, E.R. Needle map recovery using robust regularizers Image and Vision Computing, 17 (8), 545-557, 1999.
247. Worthington, P.L.; Hancock, E.R., ”Object recognition using shape-from-shading,” Pattern Analysis and Machine Intelligence, IEEE Transactions on , vol.23, no.5, 535-542, May 2001
248. Ting-Hu Wu; Rama Chellappa; Qinfen Zheng; “Experiments on estimating egomotion and structure parameters using long monocular image sequences,” International Journal of Computer Vision Volume 15, Numbers 1-2 77-103, 1995
249. Xiang, T., Cheong, L.-F. Understanding the behavior of SFM algorithms: A geometric approach International Journal of Computer Vision, 51 (2), 111-137. 2003.
250. Xiang, T., Cheong, L.-F. On the distortion of shape recovery from motion Image and Vision Computing, 22 (10), 807-817. 2004.
251. Xiong, Y., Shafer, S.A. Dense Structure from a Dense Optical Row Sequence Computer Vision and Image Understanding, 69 (2), 222-245. 1998.
252. Xiong, Y., Shafer, S.A. Hypergeometric Filters for Optical Flow and Affine Matching International Journal of Computer Vision, 24 (2), 163-177. 1997.
253. Xiong, Y., Olson, C.F., Matthies, L.H. Computing depth maps from descent images Machine Vision and Applications, 16 (3), 139-147. 2005.
254. Yilei Xu, Amit K. Roy-Chowdhury, ”Integrating Motion, Illumination, and Structure in Video Sequences with Applications in Illumination-Invariant Tracking,” IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 29, no. 5, 793-806, May, 2007
255. Yang, Z.-G., Zhang, Z., Xia, Z.-M. Regularization without transformation for bilinear problems Harbin Gongcheng Daxue Xuebao/Journal of Harbin Engineering University, 26 (4), 536-539. 2005.

256. Ying Kin Yu, Kin Hong Wong, Chang, M.M.Y., "Recursive three-dimensional model reconstruction based on Kalman filtering," *IEEE Transactions on Systems, Man, and Cybernetics, Part B*, Volume: 35, Issue: 3 587-592, 2005
257. Yizhou Yu and Johnny T. Chang "Shadow Graphs and 3D Texture Reconstruction," *International Journal of Computer Vision* Volume 62, Numbers 1-2 , 35-60, 2005
258. Shiu Yin Yuen, Yuen Yan Tsui, and Chi Kin Chow, "A fast marching formulation of perspective shape from shading under frontal illumination," *Pattern Recognition Letters* Volume 28, Issue 7, 806-824, 2007
259. N. Yokoya, T Shakunaga, M Kanbara, "Passive Range Sensing Techniques: Depth from Images," in *Image Processing Technologies*, Aizawa et al, eds, CRC Press, 2004.
260. Yuille, A.L., Ferraro, M., Zhang, T. Image Warping for Shape Recovery and Recognition *Computer Vision and Image Understanding*, 72 (3), 351-359. 1998.
261. Zeng, C., Sonka, M. Volume-preserving smoothing of three-dimensional surfaces: Application to intravascular ultrasound *Computers and Biomedical Research*, 31 (5), 385-392. 1998.
262. Zhang, R., Shah, M. Shape from intensity gradient *IEEE Transactions on Systems, Man, and Cybernetics Part A:Systems and Humans.*, 29 (3), 318-325, 1999.
263. Zhang, Z. Motion and structure from two perspective views: From essential parameters to Euclidean motion through the fundamental matrix *Journal of the Optical Society of America A: Optics and Image Science, and Vision*, 14 (11), 2938-2950, 1997.
264. Zhengyou Zhang, "On the Optimization Criteria Used in Two-View Motion Analysis" *IEEE Transactions on Pattern Analysis and Machine Intelligence* Volume 20, Issue 7, 717 - 729 1998
265. "Shape-from-shading: a survey," Ruo Zhang; Ping-Sing Tsai; Cryer, J.E.; Shah, M.; *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Volume 21, Issue 8, Aug. 690 - 706 1999
266. Zhao, W.Y., Chellappa, R. Symmetric shape-from-shading using self-ratio image *International Journal of Computer Vision*, 45 (1), 55-75, 2001.
267. Zhuge, F., Sun, S., Rubin, G., Napel, S. A directional distance aided method for medical image segmentation *Medical Physics*, 34 (12), 4962-4976. 2007.